



Refereed & Peer Reviewed

Vol. 12, Issue: 01 | Jan – Mar 2024

Study of Types of Battery Technologies in Electric Vehicles

¹Deepak Anand, ²Manoj Kumar

¹Department of ME, MERI College of Engineering & Technology, MDU, Rohtak ²Department of EEE, MERI College of Engineering & Technology, MDU, Rohtak ^{Email:} <u>deepak.anand@meri.edu.in, manoj.bansal@meri.edu.in</u>

Abstract

The developments in battery technology within the electric vehicle (EV) sector are the subject of this research study. As the need to reduce greenhouse gas emissions and mitigate the effects of climate change grows, electric vehicles are emerging as a viable option for environmentally friendly transportation. The creation of effective, high-performance batteries with sufficient power, endurance, and range is essential to the success of electric cars. This essay offers a thorough analysis of the development of battery technology for electric cars, including background information, the situation as it is today, new developments, and potential directions. Lithium-ion batteries, solid-state batteries, and lithium-sulfur batteries are just a few of the battery technologies that are thoroughly reviewed along with their advantages, disadvantages, and uses.

Key words: Battery, Technology, Advancements, Electric, Vehicles

Introduction

The need to battle climate change and cut greenhouse gas emissions is forcing a major transition in the transport industry. In this regard, electric cars (EVs) have become a vital component of the sustainable transportation puzzle. The development of battery technology is essential to the success of electric cars since it determines the price, performance, and range of these vehicles. In order to fulfil the changing needs of the industry, battery technology must constantly innovate and develop as demand for EVs rises due to environmental concerns, governmental incentives, and technical breakthroughs.




Figure. The building of a virtual counterpart is an operational concept.







Refereed & Peer Reviewed

Vol. 12, Issue: 01 | Jan – Mar 2024

Historical Background

The history of battery technology in electric vehicles (EVs) is a multi-century journey defined by breakthroughs, disappointments, and comebacks. Electric propulsion was first introduced when scientists and inventors started experimenting with electric motors and batteries in the early 1800s. In the 1830s, Scottish inventor Robert Anderson developed one of the first electric cars using primary cells that could not be recharged. Due to their silent operation and lack of pollutants, electric cars created a niche market for themselves in urban environments throughout the ensuing decades. However, due to the development of internal combustion engines and the accessibility of inexpensive fuel, the massive uptake of gasoline-powered cars eclipsed that of electric vehicles by the early 20th century. Electric cars continued to exist in niche sectors like golf carts and industrial uses, despite this fall. The resurgence of electric cars in the late 20th century was driven by worries about climate change, energy security, and air pollution. The debut of contemporary electric cars in the 1990s and early 2000s was prompted by advancements in battery technology, particularly with regard to lithium-ion batteries, which rekindled interest in electric propulsion. Modern battery-powered electric vehicles are becoming more and more commonplace, providing users with an ecologically friendly substitute for conventional gasoline-powered automobiles. The development of battery technology in electric cars throughout time is a monument to human creativity and the neverending search for greener, cleaner modes of transportation.

Types of Battery Technologies:

Different battery technologies are used by electric vehicles (EVs) to store and distribute energy for propulsion. Every battery type offers a unique collection of features, benefits, and drawbacks. The following are a few of the most popular battery types seen in electric cars:

1. Lithium-ion Batteries (Li-ion):

- The most common battery type found in electric cars is lithium-ion because of its high energy density, lengthy cycle life, and comparatively low self-discharge rate.
- During charging and discharging, they move between the positive (cathode) and negative (anode) electrodes using lithium ions as the charge carriers.
- Li-ion batteries are ideal for automotive applications where weight and space are crucial factors because of their small design and low weight.

2. Solid-State Batteries:

- The next generation of batteries is represented by solid-state batteries, which have the potential to outperform conventional lithium-ion batteries in terms of energy density, safety, and charging speed.
- Solid-state batteries use solid electrolytes, which are less likely to leak and have thermal runaway, as opposed to the liquid electrolytes used in traditional Li-ion batteries.
- Solid-state batteries have the potential to completely transform the electric car market by resolving major issues with energy density and safety that are present in existing battery technology.





Refereed & Peer Reviewed

Vol. 12, Issue: 01 | Jan – Mar 2024

3. Lithium-Sulfur Batteries:

- With its greater potential energy densities and less expensive materials, lithium-sulfur batteries are a viable substitute for lithium-ion batteries.
- They use sulphur, which is cheap, plentiful, and lightweight, as the cathode material.
- Because lithium-sulfur batteries can hold more energy in a smaller, lighter container, they have the potential to greatly extend the driving range of electric cars.

4. Nickel-Metal Hydride Batteries (NiMH):

- Because they are stable, safe, and reasonably priced, nickel-metal hydride batteries were frequently used in early hybrid electric vehicles (HEVs) as well as certain electric cars.
- NiMH batteries are renowned for their durability and heat tolerance, despite having a lower energy density than lithium-ion batteries.
- Because of their higher weight and lesser energy density, NiMH batteries are progressively being replaced with lithium-ion batteries.

5. Sodium-Ion Batteries:

- An innovative battery technology called sodium-ion batteries stores energy by using sodium ions rather than lithium ions.
- Because sodium is more affordable and more plentiful than lithium, sodium-ion batteries may be a more economical and ecologically friendly option.
- Although sodium-ion batteries are still in the early phases of research and development, they have potential uses in grid energy storage and electric car applications.

Current State of Battery Technology

The status of battery technology in electric vehicles (EVs) today is a reflection of a constantly changing environment marked by quick developments, continuous research, and commercialization initiatives. With its high energy density, extended cycle life, and affordable price, lithium-ion batteries continue to be the industry leader in the electric vehicle market. Higher energy densities and cheaper prices have been made possible by ongoing advancements in battery chemistry, electrode materials, and manufacturing techniques, which have enhanced the performance and driving range of electric vehicles.

The advancement of safety features and rapid charging capabilities is propelling innovation in battery engineering and design. Furthermore, studies into cutting-edge technologies like lithium-sulfur and solid-state batteries show promise for resolving important issues like cost and environmental sustainability as well as for enhancing battery performance. Investment in battery technology is rising as EV adoption and the demand for clean transportation expand globally. This is spurring additional advancement and innovation in the search for more effective, economical, and sustainable energy storage solutions for electric cars.







International Publications




Figure. Battery production for process parameter optimization

Environmental and Social Implications of Battery Technology in Electric Vehicles:

The extensive use of electric vehicles (EVs) fueled by cutting-edge battery technology has important social and environmental ramifications. Even while EVs have the potential to produce fewer greenhouse gas emissions and air pollution when compared to cars with internal combustion engines, their effects on the environment and society go beyond just what comes out of the back of the car. Here are some crucial things to remember:

1. Reduction of Greenhouse Gas Emissions:

- When an electric vehicle (EV) is fuelled by renewable energy sources like solar, wind, and hydroelectric power, it emits no pollutants from its exhaust.
- EVs help to mitigate climate change and lessen the environmental impact of the transportation sector by replacing fossil fuel-powered automobiles.

2. Resource Extraction and Supply Chain Impacts:

- Significant quantities of raw materials, such as lithium, cobalt, nickel, and rare earth elements, are needed to produce lithium-ion batteries, raising worries about resource depletion and environmental damage from mining activities.
- To reduce the negative effects of raw material extraction on the environment and society, ethical mining techniques and responsible sourcing are crucial.

3. Battery Recycling and End-of-Life Management:

- In order to reduce environmental contamination and maximise resource recovery, it is essential to recycle and dispose of EV batteries properly.
- To handle the increasing amount of end-of-life batteries, it will be necessary to provide infrastructure for battery collecting, recycling, and reuse as well as effective recycling methods.

4. Energy Transition and Grid Integration:

- Opportunities and challenges for integrating renewable energy sources into the electric grid are presented by the rapid deployment of electric vehicles (EVs).
- Vehicle-to-grid (V2G) and managed charging technologies can assist maximise energy consumption, lower peak demand, and improve grid stability, but they also come with costs associated with careful planning and grid infrastructure investment.

5. Social Equity and Access to Transportation:





Refereed & Peer Reviewed Vol. 12, Issue: 01 | Jan – Mar 2024

- Adoption of EVs has the potential to lessen reliance on petrol and diesel-powered cars, which disproportionately affect low-income and minority groups, and provide access to inexpensive, clean transportation for neglected communities.
- However, overcoming obstacles including upfront prices, the availability of charging infrastructure, and access to dependable energy is necessary to provide equal access to EVs, charging infrastructure, and related advantages.

6. Job Creation and Economic Opportunities:

- The shift to electric vehicles opens doors for economic growth and employment creation in industries including manufacturing, R&D, and infrastructure construction.
- Maximising the financial gains from the switch to electric cars may be achieved by encouraging local manufacture of EV components and supporting worker training initiatives.

7. Public Health Benefits:

EVs improve public health outcomes and lower healthcare expenses related to respiratory and cardiovascular illnesses by lowering air pollution and emissions of dangerous pollutants including nitrogen oxides (NOx) and particulate matter (PM).

8. Technological Innovation and Collaboration:

- The advancement of improved battery technology for electric vehicles (EVs) stimulates cross-sector innovation and cooperation, creating opportunities for cooperation between automakers, battery suppliers, academic institutions, and governmental organisations.
- The development of more environmentally friendly and socially conscious transport options may be accelerated by encouraging cooperation between stakeholders and supporting research and development projects.

System Level	Charging Duration	Output Nature	Location
Ultra-Fast Charging	It Takes approximately 2 minutes.	Three-phase-Vac: dual conversion of 210–600 AC circuit to DC circuit for EVs. Typically, output falls between 800 V and 400 kW.	Off Board 3 Phase
DC Fast Chargers	For 100–130 km of range per hour, charging takes 30 minutes to an hour.	Three-phase Vac: dual conversion from AC circuit 210-600 to DC circuit with an output range of 500	Off-Board 3 Phase
Level 2 Chargers	These are domestic chargers that can be used at home to charge a 16 to 32 km/h vehicle in 4 to 8 hours.	Vac: 240 (according to US standards; 400 according to EU norms). The power is between 3.1 and 19.2 kW, and the output spans from 15 to 80 A.	On-Board single/3 Phase
Level 1 Chargers	This mechanism relies greatly on the type of EV model and takes about 7–10 hours to charge for 3–8 kilometres.	Vac: 240 (according to US standards; 400 according to EU norms). The output is 12–16 A, and the dower is 1.44–1.92 kW.	On-Board Single Phase

Table: Charging Duration Level System





Refereed & Peer Reviewed

Vol. 12, Issue: 01 | Jan – Mar 2024

Conclusion

The development of battery technology for electric vehicles (EVs) has great potential to address urgent transportation-related environmental, social, and economic issues. The need for EVs running on cutting-edge battery technology is growing as the globe tries to move towards a more sustainable and decarbonised future. This study examined the state of battery technology in electric vehicles (EVs) at the moment, emphasising significant developments, difficulties, and consequences for the environment and society. The field of battery technology is quickly changing due to continued research, innovation, and investment. From lithium-ion batteries to cutting-edge technologies like solid-state and lithium-sulfur batteries, the range is expanding. Energy density, range, cost, and safety have all improved as a result of these developments, increasing the usefulness, affordability, and accessibility of EVs for customers throughout the globe. Additionally, the advantages of electric vehicles (EVs) for the environment, such as lower greenhouse gas emissions and air pollution, are supporting initiatives to mitigate climate change and enhance public health.

References

- 1. Goodenough, John B., and Kyu-Sung Park. "The Li-ion Rechargeable Battery: A Perspective." Journal of the American Chemical Society, vol. 135, no. 4, 2013, pp. 1167–1176.
- 2. Tarascon, Jean-Marie, and Patrice Simon. "Lithium-ion Batteries: Solid-Electrolyte Interphase." Springer, 2015.
- 3. Dunn, Bruce, et al. "Electrical Energy Storage for the Grid: A Battery of Choices." Science, vol. 334, no. 6058, 2011, pp. 928–935.
- 4. Armand, Michel, and Jean-Marie Tarascon. "Building Better Batteries." Nature, vol. 451, no. 7179, 2008, pp. 652–657.
- 5. Yang, Yuan, et al. "Recent Progress in Sodium Ion Battery Research." Advanced Energy Materials, vol. 8, no. 8, 2018, 1701410.
- 6. Bruce, Peter G., et al. "Lithium–Air and Lithium–Sulfur Batteries." Chemistry of Materials, vol. 26, no. 1, 2014, pp. 587–603.
- 7. Manthiram, Arumugam. "An Outlook on Lithium Ion Battery Technology." ACS Central Science, vol. 3, no. 10, 2017, pp. 1063–1069.
- Kim, Taeghwan, and Jang Wook Choi. "Sulfur-Based Composite Cathodes for Lithium-Sulfur Batteries: Progress and Prospects." Advanced Energy Materials, vol. 23, no. 13, 2013, pp. 3852–3858.
- 9. Cheng, Fangyi, et al. "Advances in Interfaces between Carbon Nanotubes and Polymers." Advanced Materials, vol. 28, no. 43, 2016, pp. 9761–9793.
- 10. Liu, Jing, et al. "A Review on the Key Issues of the Lithium Ion Battery Degradation among the Electrification of Transportation." Journal of Power Sources, vol. 435, 2019, 226751.

